

File No.: 2024/EC/A/25 Government of India

Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), PUNJAB)



Dated 15/03/2024



To,

Binny Gupta

M/S RENNY STRIPS PVT. LTD.

Village- Mangarh, Machhiwara Road, Kohara, Ludhiana, Punjab, 141003

rennystrips1@gmail.com

(iii) Clearance Type

Subject:

Application for amendment in Environmental Clearance under EIA notification dated 14.09.2006 for merger of unit namely M/s Renny Strips Pvt Ltd (Furnace Division) with M/s Renny Strips Pvt Ltd at Village Mangarh, Machhiwara Road, Kohara, Ludhiana-east District Ludhiana, Punjab (Proposal No. SIA/PB/IND1/463191/2024).

Sir/Madam,

This is in reference to your application submitted to SEIAA vide proposal number SIA/PB/IND1/463191/2024 dated 20/02/2024 for grant of an amendment in prior Environmental Clearance (EC) to the project under the provision of the EIA Notification 2006-and as amended thereof.

2. The particulars of the proposal are as below:

(i) EC Identification No. EC24B1010PB5467940A

(ii) File No. 2024/EC/A/25

(iv) Category B1

(v) Schedule No./ Project Activity

3(a) Metallurgical Industries (ferrous and non

ferrous)

Amendment in EC

(vii) Name of ProjectM/s Renny Strips Pvt Ltd(viii) Location of Project (District, State)LUDHIANA, PUNJAB

(ix) Issuing Authority SEIAA (x) EC Date 15/03/2024

(xi) Applicability of General Conditions YES

(xiii) Status of implementation of the project

3. This is in reference to your online application submitted through Parivesh Portal for seeking amendment in Environmental Clearance granted under the EIA Notification 14.09.2006 vide SEIAA letter no.

SIA/PB/IND1/463191/2024 Page 1 of 4

SEIAA/M.S./2020/3306 dated 05.11.2020 & amendment in EC vide letter no. SEIAA/MS/2021/4093 dated 11.05.2021 to M/s Renny Strips Pvt Ltd. and vide SEIAA letter no. DECC/SEIAA/2020/1647 dated 20.05.2020 to M/s Renny Strips Pvt Ltd. (Furnace Division), for merger of both the units and certain other changes. The proposal of amendment has now been appraised as per the procedure prescribed under the provisions of EIA Notification dated 14.09.2006 based on mandatory documents enclosed with the application viz., Form-4, Environmental Clearance (EC) letter, a copy of compliance of the conditions of Environmental Clearance and additional clarifications furnished.

- 4) The SEAC, Punjab in its 277th meeting held on 01.03.2024 after due consideration of the relevant documents submitted, presentation given and additional clarification/ documents furnished by the project proponent has recommended the case to SEIAA for grant of amendment.
- 5) The proposal was considered by SEIAA in the 283rd meeting held on 07.03.2024 wherein it was decided to accept the recommendations of SEAC and amend the EC granted to the Project with subject to the same terms and conditions as imposed in the Environmental Clearance granted vide SEIAA letter no. SEIAA/M.S./2020/3306 dated 05.11.2020 & amendment in EC vide letter no. SEIAA/MS/2021/4093 dated 11.05.2021 to M/s Renny Strips Pvt Ltd. and vide SEIAA letter no. DECC/SEIAA/2020/1647 dated 20.05.2020 to M/s Renny Strips Pvt Ltd. (Furnace Division) & certain additional condition, as per the detail given as under:

Table- 1- Amendments in the earlier granted Environmental Clearance

S.No.	Description	RSPL	RSPL(FD)	Additions to be made	After merger
1.	Induction Furnace	2 No. (15 & 30TPH)	1 No. (15 TPH)		Multiple Induction Furnace (2X15 & 30TPH)
2.	Steel Ingot/ Billets (TPA)	1,89,000 TPA	64,800 TPA		2,53,800 TPA
3.	Rounds, Square, TMT/MS Bars, Angles, Channel, Flats etc (TPA)	1,75,000 TPA	NIL		1,75,000 TPA
4.	MS Scrap/Ferro Alloys (TPA)	2,09,290 TPA	71,280 TPA		2,80,570 TPA
5.	Concast	01 No.	01 No.	e	02 No.
6.	Rolling Mill	01 No.	NIL	4	01 No.
7.	D.G. Set	75kVA-01No.	125KVA		75kVA & 125KVA
8.	Area (sqm)	28,044.82 m ²	2832 m ²	15321.20 m ²	46198.02 m ²
9.	Cost of the Project (Rs in Crores)	Rs 46.02 Crores	Rs 10.0 Crores	Rs 6.5 Crores	Rs 62.52 Crores
10.	Green Area required to be developed (Sqm)	9255 m ²	935 m ²	6055 m ²	15245 m ²
11.	Green Area already developed (Sqm)	9255 m ²	935 m ²	Will be done in forth coming monsoon season	10190 m ²

⁶⁾ Accordingly, Environmental Clearance, is hereby amended as per the Table-1 given above subject to the same terms and conditions as imposed in the Environmental Clearance granted vide SEIAA letter no. SEIAA/M.S./2020/3306 dated 05.11.2020 & amendment in EC vide letter no. SEIAA/MS/2021/4093 dated 11.05.2021 to M/s Renny Strips Pvt Ltd. and vide SEIAA letter no. DECC/SEIAA/2020/1647 dated 20.05.2020 to M/s Renny Strips Pvt Ltd. (Furnace Division) and additional condition as per Annexure-1.

SIA/PB/IND1/463191/2024 Page 2 of 4

⁷⁾ This letter must remain appended with the Environmental Clearance letter issued by SEIAA, Punjab vide letter no. SEIAA/M.S./2020/3306 dated 05.11.2020 & amendment in EC vide letter no. SEIAA/MS/2021/4093 dated 11.05.2021 to M/s Renny Strips Pvt Ltd. and vide SEIAA letter no. DECC/SEIAA/2020/1647 dated 20.05.2020 to M/s Renny Strips Pvt Ltd. (Furnace Division).

Copy To

- 1. The Secretary to Govt. of India, Ministry of Environment and Forest, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi
- 2. The Secretary, Department of Science, Technology & Environment, Government of Punjab, Chandigarh.
- 3. The Regional Officer, Ministry of Environment, Forest and Climate Change, Integrated Regional Office, Bays No. 24-25, Sector 31-A, Dakshin Marg, Chandigarh-160030. The detail of the authorized officer of the project proponent is as under:

a) Name of the applicant : Mr. Binny Gupta (Director)

b) Mobile No. : 9815000513

c) Email Id : <u>rennystrips1@gamil.com</u>
d) Email ID of Env. Consultant : <u>cptleia@gmail.com</u>

- 4. The Deputy Commissioner, Ludhiana.
- 5. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi
- 6. The Member Secretary, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala, 147001
- 7. The Secretary, Punjab Water Regulation and Development Authority, SCO 149-152, Sector 17-C, Chandigarh-160017.
- 8. The Chief Town Planner, Department of Town & Country Planning, 6th Floor, PUDA Bhawan, Phase-8, Mohali.
- 9. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003
- 10. Parivesh Portal/Record File.

Annexure 1


Specific EC Conditions for (Metallurgical Industries (Ferrous And Non Ferrous))

1. Additional / Amended Conditions

S. No	EC Conditions					
1.1	The Project Proponent shall develop and maintain additional green area @ 6,055 sqm besides the existing green area of 10,190 sqm.					
1.2	The Project Proponent shall install Dog House followed by Pulse Jet Beg Filter with offline cleaning technology as APCD to control the primary as well as secondary emissions from induction furnace having capacity 15 TPH proposed to be installed in M/s Renny Strips Pvt Ltd (Furnace Division) for which EC has already been obtained vide no. DECC/SEIAA/2020/1647 dated 20.05.2020.					
	The Project Proponent shall complete the implementation of the activity prescribed in the AEA plan as per Table-2 below: Table-2 (AEA) Sr. Timeline					
	No. Activity	Cost (Rs. In Lakhs)				
1.3	1. Two no. water cooler provided in Govt. High School, Village Katani Kalan, Ludhiana	2	Activity completed			
	2. Fibre rain shed (front gate) in Govt. High School, Village Katani Kalan, Ludhiana	10	Activity completed			

SIA/PB/IND1/463191/2024 Page 3 of 4

S. No	EC Conditions					
	Kalan, Ludhiana					
	4. Fibre rain shed (stage) in Govt. High School, Village Katani Kalan, Ludhiana	2	Activity completed			
	5. Green Board for classes in Govt. High School, Village Katani Kalan, Ludhiana	0.5	Activity completed			
	6. Deposition of funds under Greening Punjab Mission through concerned DFO	16.5	To be completed within one year			
	7. Provision of crop residue machinery (in situ/ex situ) for management of stubble burning through PPCB / District Administration	10	To be completed within one year			
	Total amount reserved	Rs. 44 lakhs				



SIA/PB/IND1/463191/2024 Page 4 of 4